










	<p>COSHH Assessment</p>	
---	-------------------------	---

Name of Substance	TALON PELLETS UK-2015-0908-0001	Supplied By	Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom Telephone : +44 (0) 1223 883400 Telefax : +44 (0) 1223 882195 E-mail customer.services@s yngenta.com
COSHH reference	0012	Date of Assessment	07.03.2022
Appearance	Pink to light red pellets	Review Date	07.03.2023
Description of Substance	A pink to light red ready to use pellet rodenticide containing Brodifacoum 0.005%	Method Used	For professional use only. For the control of rats and mice in and around buildings

Persons at Risk	Employee <input checked="" type="checkbox"/>	Public <input checked="" type="checkbox"/>	Contractor <input type="checkbox"/>	Other <input type="checkbox"/>

**Hazards identified and Classification/Substance Properties**

 Oxidising	 Explosive	 (Extremely) Flammable	 Toxic	 Carcinogenic Mutagenic
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 Harmful	 Corrosive	 Human Health	 Dangerous for environment	 Gas under Pressure
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Hazard Type**

Gas, Vapour, Mist, Fume, Dust, Liquid, Solid, Other: Solid

**Route of exposure:**









Inhalation	Skin	Eyes	Ingestion	Other
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Frequency and duration of exposure**

Amount used				Duration of
Small (ml)	Medium (litre)	Large (m3)	Other:	<5mins
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**Risk Phrases (H-Phrases)**


H360D: May damage the unborn child.  
 H373: May cause damage to organs (blood) through prolonged or repeated exposure.

Control Measure						
PPE						
						
Hand Protection	Protective Clothing	Foot Protection	Eye Protection	Face Shield	Face Mask	Respirator
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Control Measures	
General Precautions and P phrases	First Aid Measures
<p>P201 Obtain special instructions before use.  P202 Do not handle until all safety precautions have been read and understood.  P260 Do not breathe dust. P280 Wear protective gloves/ protective clothing.  P308 + P313 IF exposed or concerned: Get medical advice/ attention. S  P405 Store locked up.  P501 Dispose of contents/ container to an approved waste disposal plant.</p> <p>For professional use only  Always read the label before use and use in accordance with the label  Prevent access to bait (toxic) by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.  Avoid contact with the skin, eyes and clothing  Wear protective gloves EN374  Do not breathe dust and avoid dust formation  Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened</p> <p>Avoid release to the environment and water sources. Prevent entry to sewers and public waters. Notify authorities if liquid enters</p>	<p>Antidote: <b>Vitamin K1 (phytomenadione) is antidotal.</b> To be administered by a medical/veterinary professional.  This product contains an anticoagulant compound. If large quantities are ingested, nosebleed and bleeding gums may occur. In severe cases there may be bruising, haematomas of the joints and blood present in faeces and urine  <b>If inhaled</b> : Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.  <b>In case of skin contact</b> : Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.  <b>In case of eye contact</b> : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.  <b>If swallowed</b> : Take victim immediately to hospital. Do NOT induce vomiting.</p> <p>For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre. Show the label if</p>

<p>sewers or public waters. Protect bait from surface water and discharge into the subsoil/soil. Collect and dispose of the remains of bait and any remaining rodent bodies after/during treatment.</p>	<p>possible</p>
<p><b>Spillage Procedure</b></p>	<p><b>Fire Prevention</b></p>
<p>Avoid release to the environment. In case of accidental spills keep away from drains, surface and ground water. Notify authorities if liquid enters sewers or public waters. Sweep, Hoover (electrically protected) or shovel into suitable containers. Avoid raising dust and wear a Half mask respirator to EN140 plus P class filter to EN 143 and dampen to avoid dust if required. If necessary wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. Dispose of spillage and cleaning agents as hazardous waste: EWC code 20 01 19.</p>	<p>Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire. Do not allow run-off from fire fighting to enter drains or water courses will produce dense black smoke containing hazardous products on combustion</p>
<p><b>Handling and Storage</b></p>	<p><b>Disposal Considerations</b></p>
<p>Store locked up in a dry, cool and well-ventilated place protected from frost and direct sunlight. Store in the original container and keep the container closed. Store in places prevented from the access of children, birds, pets and farm animals and segregate from foods and animal feeds Wear protective gloves when handling this product EN374 When loading product into bait points, a scoop should be used. When using do not eat, drink or smoke. Hands and /or face (exposed skin) should be washed before breaks and at the end of the shift. Avoid dust formation and wear a Half mask respirator to EN140 plus P class filter to EN 143 if dust is likely</p>	<p>Dispose in a safe manner in accordance with local/national regulations at a approved waste disposal plant. Dispose of packaging and remains of unused product as hazardous waste (code 20 01 19) uncontaminated triple washed- classified non-hazardous. EWC code 15 01 02 Poisoned rodents (waste code 20 01 99) should be disposed of at a suitably permitted incinerator, landfill or burial site by the waste producer or a registered waste carrier.</p>

COSHH Assessment Comments	
Further Control Required (Y/N)	N
Responsibility	N/A
Details	N/A
By when	N/A
Date Done	N/A
Assessors comments	
None	
Risk rating following control measures (H/M/L)	L

Assessor Name: Emily Hayclarke	Assessor Signature: 
--------------------------------	---