

	<p>COSHH Assessment</p>	
---	-------------------------	---

Name of Substance	RODILON SOFT BLOCK UK-2011-0003-0004	Supplied By	Bayer Environmental Science. 230 Cambridge Science Park Milton Road Cambridge Cambridgeshire CB4 0WB United Kingdom 00800-1214 9451 +44(0)1223 426240 ukinfo@bayercropscience.com
COSHH reference	0016	Date of Assessment	09.03.2022
Appearance	Sachet containing blue soft paste bait	Review Date	09.03.2023
Description of Substance	A ready to use soft blue paste bait sachet containing difethialone 0.0025%	Method Used	For professional use only. For the control of rats and mice in and around buildings.

Persons at Risk	Employee <input checked="" type="checkbox"/>	Public <input checked="" type="checkbox"/>	Contractor <input type="checkbox"/>	Other <input type="checkbox"/>
-----------------	---	---	--	-----------------------------------

Hazards identified and Classification/Substance Properties

 Oxidising	 Explosive	 (Extremely) Flammable	 Toxic	 Carcinogenic Mutagenic
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 Harmful	 Corrosive	 Human Health	 Dangerous for environment	 Gas under Pressure
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Hazard Type

Gas, Vapour, Mist, Fume, Dust, Liquid, Solid, Other: Solid

Route of exposure:

Inhalation	Skin	Eyes	Ingestion	Other
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Frequency and duration of exposure

Amount used				Duration of
Small (ml)	Medium (litre)	Large (m3)	Other:	<5mins
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Risk Phrases (H-Phrases)

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.
 H412 Harmful to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for

Use.

Control Measure						
PPE						
						
Hand Protection	Protective Clothing	Foot Protection	Eye Protection	Face Shield	Face Mask	Respirator
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Control Measures	
General Precautions and P phrases	First Aid Measures
<p>P273 Avoid release to the environment.</p> <p>P314 Get medical advice/ attention if you feel unwell.</p> <p>P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.</p> <p>For professional use only</p> <p>Always read the label before use and use in accordance with the label</p> <p>Prevent access to bait (toxic) by children, birds and non-target animals (particularly dogs, cats, pigs and poultry).</p> <p>Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.</p> <p>Avoid release to the environment. Prevent entry to sewers and public waters.</p> <p>Baiting points should be marked with the substance active ingredient, a warning and the poisons line information.</p> <p>Wear protective gloves EN374</p> <p>Avoid contact with the skin, eyes and clothing.</p>	<p>Antidote: Vitamin K1 (phytomenadione) is antidotal. To be administered by a medical/veterinary professional.</p> <p>If large amounts are ingested, the following symptoms may occur: Bloody urine, Bloody faeces, Gum bleeding, Nose bleeding, Bruising and haemorrhage formation. Keep under medical supervision for at least 48 hours.</p> <p>Skin contact: Wash off immediately with soap and plenty of water. Take off contaminated clothing and shoes immediately. If symptoms persist, call a physician.</p> <p>Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.</p> <p>Ingestion: Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.</p> <p>For comprehensive medical advice on the</p>

Collect and dispose of the remains of bait and any remaining rodent bodies after/during treatment	treatment of poisoning, contact the nearest Poisons Information Centre. Show the label if possible
Spillage Procedure	Fire Prevention
Avoid release to the environment. In case of accidental spills keep away from drains, surface and ground water. Notify authorities if liquid enters sewers, public waters, rivers or watercourses. Sweep, Hoover or shovel into suitable containers. If liquid is involved soak up with inert absorbent material If necessary wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. Dispose of spillage and cleaning agents as hazardous waste: EWC code 20 01 19.	In combustion emits toxic fumes Suitable Extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Do not allow run-off from firefighting to enter drains or water courses
Handling and Storage	Disposal Considerations
Store locked up in a dry, cool and well-ventilated place protected from frost and direct sunlight. Store in the original container and keep the container closed Store in places prevented from the access of children, birds, pets and farm animals and segregate from foods and animal feeds Wear protective gloves when handling this product EN374 When using do not eat, drink or smoke. Hands and /or face (exposed skin) should be washed before breaks and at the end of the shift. Remove soiled clothing immediately and clean thoroughly before using again.	Dispose in a safe manner in accordance with local/national regulations at an approved waste disposal plant. Dispose of packaging and remains of unused product as hazardous waste (code 20 01 19) Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations. Poisoned rodents (waste code 20 01 99) should be disposed of at a suitably permitted incinerator, landfill or burial site by the waste producer or a registered waste carrier

COSHH Assessment Comments	
Further Control Required (Y/N)	N
Responsibility	N/A
Details	N/A
By when	N/A
Date Done	N/A

Assessors comments	
None	
Risk rating following control measures (H/M/L)	L

Assessor Name: Emily Hayclarke	Assessor Signature: 
--------------------------------	--