










	<p>COSHH Assessment</p>	
---	-------------------------	---

<p>Name of Substance</p>	<p>Sakarar D Whole Wheat, AUTHORISATION NUMBER:UK-2012-0298-0002</p>	<p>Supplied By</p>	<p>Killgerm Chemicals Ltd, Wakefield Road, Ossett, West Yorkshire, WF5 9AJ. +44 (0)1924 268450. technical@Killgerm.com</p>
<p>COSHH reference</p>	<p>0006</p>	<p>Date of Assessment</p>	<p>29.03.2023</p>
<p>Appearance</p>	<p>A green/blue whole wheat grain bait</p>	<p>Review Date</p>	<p>29.03.2024</p>
<p>Description of Substance</p>	<p>A blue/green ready to use cereal based rodenticide containing Difenacoum 0.005%</p>	<p>Method Used</p>	<p>For professional use only. For the control of rats and mice in and around buildings, open areas, waste dumps and sewers.</p>

<p>Persons at Risk</p>	<p>Employee <input checked="" type="checkbox"/></p>	<p>Public <input checked="" type="checkbox"/></p>	<p>Contractor <input type="checkbox"/></p>	<p>Other <input type="checkbox"/></p>
------------------------	---	---	--	---

**Hazards identified and Classification/Substance Properties**

 Oxidising	 Explosive	 (Extremely) Flammable	 Toxic	 Carcinogenic Mutagenic
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 Harmful	 Corrosive	 Human Health	 Dangerous for environment	 Gas under Pressure
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Hazard Type**

Gas, Vapour, Mist, Fume, Dust, Liquid, Solid, Other: Solid

**Route of exposure:**









Inhalation	Skin	Eyes	Ingestion	Other
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Frequency and duration of exposure**

Amount used				Duration of
Small (ml)	Medium (litre)	Large (m3)	Other:	<5mins
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**Risk Phrases (H-Phrases)**

H360 May Damage the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure


Control Measure						
PPE						
						
Hand Protection	Protective Clothing	Foot Protection	Eye Protection	Face Shield	Face Mask	Respirator
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Control Measures	
General Precautions and P phrases	First Aid Measures
<p>P101 If medical advice is needed, have product or label at hand.</p> <p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P260 Do not breathe dust.</p> <p>P280 Wear protective gloves.</p> <p>P308 + P313 If exposed or concerned: Get medical advice/attention.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste</p> <p>For professional use only Always read the label before use and use in accordance with the label Prevent access to bait (toxic) by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these. Do not breathe dust and avoid dust formation Baiting points should be marked with the substance active ingredient, a warning and the poisons line information and clearly labeled to show they contain rodenticides, do</p>	<p><b>Vitamin K1 (phytomenadione) is antidotal.</b> To be administered by a medical/veterinary professional. This product contains an indirect anticoagulant. Any signs of poisoning are unlikely to occur until 12-18 hours after ingestion but can be delayed for up to 4 days after uptake. Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.</p> <p><b>Ingestion</b> (swallowing): rinse mouth carefully with water. Never give anything by mouth to unconscious person. Do not provoke vomiting. If swallowed, seek medical advice immediately and show the product's container or label.</p> <p><b>Inhalation:</b> Unlikely route of exposure. Remove from exposure to fresh air. Obtain medical advice if symptoms develop.</p> <p><b>Skin contact:</b> wash skin with water and then with water and soap.</p> <p><b>Eye contact:</b> rinse eyes with eyes-rinse liquid or water, keep eyes lids open at least 10 minutes.</p> <p>For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Center. Show the label if possible</p>

not open or move Protect bait from surface water and discharge into the subsoil/soil.	
<b>Spillage Procedure</b>	<b>Fire Prevention</b>
Avoid release to the environment. In case of accidental spills keep away from drains, surface and ground water. Notify authorities if liquid enters sewers or public waters. Sweep, Hoover or shovel into suitable containers. Avoid raising dust and wear a Half mask respirator to EN140 plus P class filter to EN 143 and dampen to avoid dust if required. Wear safety glasses to EN 166 If necessary wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. Dispose of spillage and cleaning agents as hazardous waste: EWC code 20 01 19.	Use water spray, foam or dry chemical. In the event of fire, poisonous and irritating gasses are released. Ensure water used to extinguish the fire does not reach any water channel or drains. If this occurs notify authorities.
<b>Handling and Storage</b>	<b>Disposal Considerations</b>
Store locked up in a dry, cool and well-ventilated place protected from frost and direct sunlight. Store in the original container and keep the container closed Store in places prevented from the access of children, birds, pets and farm animals and segregate from foods and animal feeds Odour-sensitive: Segregate from products releasing odours. Wear protective gloves when handling this product EN374 When using do not eat, drink or smoke. Hands and /or face (exposed skin) should be washed before breaks and at the end of the shift. Avoid contact with the skin, eyes and clothing	Dispose in a safe manner in accordance with local/national regulations at a approved waste disposal plant. Dispose of packaging and remains of unused product as hazardous waste (code 20 01 19) except empty outer pp 20k bag, uncontaminated- classified non-hazardous. EWC code 15 01 02 Poisoned rodents (waste code 20 01 99) should be disposed of at a suitably permitted incinerator, landfill or burial site by the waste producer or a registered waste carrier.

COSHH Assessment Comments	
Further Control Required (Y/N)	N
Responsibility	N/A
Details	N/A
By when	N/A

Date Done	N/A
Assessors comments	
None	
Risk rating following control measures (H/M/L)	L

Assessor Name: Emily Hayclarke	Assessor Signature: 
--------------------------------	---