










	<p>COSHH Assessment</p>	
---	-------------------------	---

Name of Substance	ROMAX VENOM WHEAT BAIT UK-2015-0883-004	Supplied By	J.V. Barrett & Co Ltd St Ivel way Warmley Bristol BS30 8TY United Kingdom Tel: 01179600060 Fax: 01179352437 Email: sales@barrettine.co.uk
COSHH reference	0011	Date of Assessment	29.03.2023
Appearance	A purple/blue whole wheat grain bait	Review Date	29.03.2024
Description of Substance	A purple ready to use whole wheat grain based rodenticide containing a bittering agent and Brodifacoum 0.005%	Method Used	For professional use only. For the control of rats and mice in and around buildings

Persons at Risk	Employee <input checked="" type="checkbox"/>	Public <input checked="" type="checkbox"/>	Contractor <input type="checkbox"/>	Other <input type="checkbox"/>

Hazards identified and Classification/Substance Properties

 Oxidising	 Explosive	 (Extremely) Flammable	 Toxic	 Carcinogenic Mutagenic
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 Harmful	 Corrosive	 Human Health	 Dangerous for environment	 Gas under Pressure
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Hazard Type

Gas, Vapour, Mist, Fume, Dust, Liquid, Solid, Other: Solid

Route of exposure:









Inhalation	Skin	Eyes	Ingestion	Other
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Frequency and duration of exposure

Amount used				Duration of
Small (ml)	Medium (litre)	Large (m3)	Other:	<5mins
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Risk Phrases (H-Phrases)

H360D: May damage the unborn child.
 H373: May cause damage to organs through prolonged or repeated exposure.


Control Measure						
PPE						
						
Hand Protection	Protective Clothing	Foot Protection	Eye Protection	Face Shield	Face Mask	Respirator
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Control Measures	
General Precautions and P phrases	First Aid Measures
<p>P280: Wear protective gloves. P270: Do not eat, drink or smoke when using this product. P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P308+313: IF exposed or concerned: Get medical attention. P405: Store locked up. P501: Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.</p> <p>For professional use only Always read the label before use and use in accordance with the label Prevent access to bait (toxic) by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these. Avoid contact with the skin, eyes and clothing Wear protective gloves EN374 Do not breathe dust and avoid dust formation Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened</p>	<p>Antidote: Vitamin K1 (phytomenadione) is antidotal. To be administered by a medical/veterinary professional. This product contains an anticoagulant compound. If large quantities are ingested, nosebleed and bleeding gums may occur. In severe cases there may be bruising, haematomas of the joints and blood present in faeces and urine.</p> <p>Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Get medical attention promptly if symptoms occur after washing. Eye contact: Bathe the eye with running water for 15 minutes. Get medical attention promptly if symptoms occur after washing. Ingestion: Wash out mouth with water. Do not induce vomiting. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.</p> <p>For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre. Show the label if possible</p>

<p>Avoid release to the environment and water sources. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Protect bait from surface water and discharge into the subsoil/soil.</p> <p>Bait stations must be labelled with the following information: "do not move or open"; "contains a rodenticide"; "product name or authorisation number"; "active substance(s)" and "in case of accident, call a poison centre".</p> <p>Collect and dispose of the remains of bait and any remaining rodent bodies after/during treatment</p>	
<p>Spillage Procedure</p>	<p>Fire Prevention</p>
<p>Avoid release to the environment. In case of accidental spills keep away from drains, surface and ground water. Notify authorities if liquid enters sewers or public waters. Sweep, Hoover or shovel into suitable containers. Avoid raising dust and wear a Half mask respirator to EN140 plus P class filter to EN 143 and dampen to avoid dust if required. If necessary wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. Dispose of spillage and cleaning agents as hazardous waste: EWC code 20 01 19.</p>	<p>Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide. Water fog. Do not use water jet. Do not allow run-off from firefighting to enter drains or water courses.</p> <p>In combustion emits toxic fumes.</p>
<p>Handling and Storage</p>	<p>Disposal Considerations</p>
<p>Store locked up in a dry, cool and well-ventilated place protected from frost and direct sunlight.</p> <p>Store in the original container and keep the container closed</p> <p>Store in places prevented from the access of children, birds, pets and farm animals and segregate from foods and animal feeds</p> <p>Wear protective gloves when handling this product EN374</p> <p>When using do not eat, drink or smoke.</p> <p>Hands and /or face (exposed skin) should be washed before breaks and at the end of the shift.</p> <p>Avoid dust formation and wear a Half mask</p>	<p>Dispose in a safe manner in accordance with local/national regulations at an approved waste disposal plant.</p> <p>Dispose of packaging and remains of unused product as hazardous waste (code 20 01 19)</p> <p>Poisoned rodents (waste code 20 01 99) should be disposed of at a suitably permitted incinerator, landfill or burial site by the waste producer or a registered waste carrier.</p>

respirator to EN140 plus P class filter to EN 143 if dust formation is likely	
---	--

COSHH Assessment Comments	
Further Control Required (Y/N)	N
Responsibility	N/A
Details	N/A
By when	N/A
Date Done	N/A
Assessors comments	
None	
Risk rating following control measures (H/M/L)	L

Assessor Name: Emily Hayclarke	Assessor Signature: 
--------------------------------	---