










	<p>COSHH Assessment</p>	
---	-------------------------	---

Name of Substance	RODILON WHEAT TECH UK-2011-0049-0001	Supplied By	Bayer Environmental Science, 230 Cambridge Science Park Milton Road Cambridge Cambridgeshire CB4 0WB 00800-1214 9451, +44(0)1223 426240, ukinfo@bayercropsci ence.com
COSHH reference	0024	Date of Assessment	24.04.2023
Appearance	Red whole wheat grain bait	Review Date	24.04.2024
Description of Substance	A red ready to use whole wheat grain based rodenticide containing a bittering agent and Difethialone 0.0025%	Method Used	For professional use only. For the control of rats and mice in and around buildings

Persons at Risk	Employee <input checked="" type="checkbox"/>	Public <input checked="" type="checkbox"/>	Contractor <input type="checkbox"/>	Other <input type="checkbox"/>
-----------------	---	---	--	-----------------------------------

Hazards identified and Classification/Substance Properties

 Oxidising	 Explosive	 (Extremely) Flammable	 Toxic	 Carcinogenic Mutagenic
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 Harmful	 Corrosive	 Human Health	 Dangerous for environment	 Gas under Pressure
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Hazard Type

Gas, Vapour, Mist, Fume, Dust, Liquid, Solid, Other: Solid

Route of exposure:

Inhalation	Skin	Eyes	Ingestion	Other
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>









Frequency and duration of exposure

Amount used				Duration of
Small (ml)	Medium (litre)	Large (m3)	Other:	<5mins
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Risk Phrases (H-Phrases)

H373 May cause damage to organs (Blood) through prolonged or repeated exposure
 H412 Harmful to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for


use.

Control Measure						
PPE						
						
Hand Protection	Protective Clothing	Foot Protection	Eye Protection	Face Shield	Face Mask	Respirator
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Control Measures	
General Precautions and P phrases	First Aid Measures
<p>P102 Keep out of reach of children. P260 Do not breathe dust. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves. P314 Get medical advice/ attention if you feel unwell. P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as nonhazardous waste.</p> <p>For professional use only Always read the label before use and use in accordance with the label Prevent access to bait (toxic) by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these. Avoid contact with the skin, eyes and clothing Wear protective gloves EN374 Do not breathe dust and avoid dust formation Bait stations must be clearly labeled to show</p>	<p>Antidote: Vitamin K1 (phytomenadione) is antidotal. To be administered by a medical/veterinary professional. If large amounts are ingested, the following symptoms may occur: Bloody urine, Bloody faeces, Gum bleeding, Nose bleeding, Bruising and haemorrhage formation Inhalation: Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician. Skin contact: Wash off immediately with soap and plenty of water. If symptoms persist, call a physician. Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist. Ingestion: Do NOT induce vomiting. Rinse mouth. Ingest activated charcoal. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.</p> <p>For comprehensive medical advice on the treatment of poisoning, contact the nearest</p>

<p>they contain rodenticides and that they must not be moved or opened</p> <p>Avoid release to the environment and water sources. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Protect bait from surface water and discharge into the subsoil/soil.</p> <p>Collect and dispose of the remains of bait and any remaining rodent bodies after/during treatment</p>	<p>Poisons Information Center. Show the label if possible</p>
<p>Spillage Procedure</p>	<p>Fire Prevention</p>
<p>Avoid release to the environment. In case of accidental spills keep away from drains, surface and ground water. Notify authorities if liquid enters sewers, public waters, rivers or watercourses. Sweep, Hoover or shovel into suitable containers. Avoid raising dust and wear a Half mask respirator to EN140 plus P class filter to EN 143 and dampen to avoid dust if required. If liquid is involved soak up with inert absorbent material. If necessary wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. Dispose of spillage and cleaning agents as hazardous waste: EWC code 20 01 19.</p>	<p>In combustion emits toxic fumes. Suitable extinguishing media: Water spray, Carbon dioxide (CO2), Alcohol-resistant foam, Sand Unsuitable :High volume water jet Do not allow run-off from firefighting to enter drains or water courses.</p>
<p>Handling and Storage</p>	<p>Disposal Considerations</p>
<p>Store locked up in a dry, cool and well-ventilated place protected from frost and direct sunlight.</p> <p>Store in the original container and keep the container closed</p> <p>Store in places prevented from the access of children, birds, pets and farm animals and segregate from foods and animal feeds</p> <p>Wear protective gloves when handling this product EN374</p> <p>When using do not eat, drink or smoke. Hands and /or face (exposed skin) should be washed before breaks and at the end of the shift.</p> <p>Avoid dust formation and wear a Half mask respirator to EN140 plus P class filter to EN 143 if dust formation is likely</p>	<p>Dispose in a safe manner in accordance with local/national regulations at an approved waste disposal plant.</p> <p>Dispose of packaging and remains of unused product as hazardous waste (code 20 01 19)</p> <p>Poisoned rodents (waste code 20 01 99) should be disposed of at a suitably permitted incinerator, landfill or burial site by the waste producer or a registered waste carrier.</p>

COSHH Assessment Comments	
Further Control Required (Y/N)	N
Responsibility	N/A
Details	N/A
By when	N/A
Date Done	N/A
Assessors comments	
None	
Risk rating following control measures (H/M/L)	L

Assessor Name: Emily Hayclarke	Assessor Signature: 
--------------------------------	--