| | | |
|---|---|---|
| LION PEST CONTROL | COSHH Assessment | |

| | | | |
|---|---|---|---|
| Name of Substance | RODILON WHEAT TECH<br>Article/SKU: 80185804 UVP: 05238072<br>Specification: 102000007527 | Supplied By | Envu<br>2022 Environmental Science FR S.A.S.<br>For GB: Milton Hall, Ely Rd., Milton Cambridge CB24 6WZ, United Kingdom<br>00800 1214 9451<br>service.clients.es.france@envu.com |
| COSHH reference | 0024 | Date of Assessment | 06.05.2025 |
| Appearance | Red whole wheat grain bait | Review Date | 06.05.2026 |
| Description of Substance | A red ready to use whole wheat grain based rodenticide containing a bittering agent and Difethialone 0.0025% | Method Used | For professional use only. For the control of rats and mice in and around buildings |

| | | | | |
|---|---|---|---|---|
| Persons at Risk | Employee<br>☑ | Public<br>☑ | Contractor<br>☐ | Other<br>☐ |

| Hazards identified and Classification/Substance Properties | | | | |
|---|---|---|---|---|
| Oxodising | Explosive | (Extremely) Flammable | Toxic | Carcinogenic Mutagenic |
| ☐ | ☐ | ☐ | ☐ | ☐ |
| Harmful | Corrosive | Human Health | Dangerous for environment | Gas under Pressure |
| ☐ | ☐ | ☑ | ☐ | ☐ |
| Hazard Type | | | | |
| Gas, Vapour, Mist, Fume, Dust, Liquid, Solid, Other: | | | | Solid |
| Route of exposure: | | | | |
| Inhalation | Skin | Eyes | Ingestion | Other |
| ☐ | ☐ | ☐ | ☑ | ☐ |
| Frequency and duration of exposure | | | | |
| Amount used | | | | Duration of |
| Small (ml) ☑ | Medium (litre) ☐ | Large (m3) ☐ | Other: ☐ | <5mins |

| Risk Phrases (H-Phrases) |
|---|
| H373 May cause damage to organs (Blood) through prolonged or repeated exposure<br>H412 Harmful to aquatic life with long lasting effects.<br>EUH401 To avoid risks to human health and the environment, comply with the instructions for |

| |
|---|
| use. |

| Control Measure | | | | | | |
|---|---|---|---|---|---|---|
| PPE | | | | | | |
| Hand Protection | Protective Clothing | Foot Protection | Eye Protection | Face Shield | Face Mask | Respirator |
| ☑ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |

| Control Measures | |
|---|---|
| General Precautions and P phrases | First Aid Measures |
| P260 Do not breathe dust.<br>P273 Avoid release to the environment.<br>P314 Get medical advice/ attention if you feel unwell.<br>P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as nonhazardous waste.<br><br>For professional use only<br>Always read the label before use and use in accordance with the label<br>Prevent access to bait (toxic) by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.<br>Avoid contact with the skin, eyes and clothing<br>Wear protective gloves EN374<br>Do not breathe dust and avoid dust formation<br>Bait stations must be clearly labeled to show they contain rodenticides and that they must not be moved or opened<br>Avoid release to the environment and water sources. Prevent entry to sewers and public | Antidote: **Vitamin K1 (phytomenadione) is antidotal**. To be administered by a medical/veterinary professional.<br>If large amounts are ingested, the following symptoms may occur: Bloody urine, Bloody faeces, Gum bleeding, Nose bleeding, Bruising and haemorrhage formation<br>**Inhalation:** Move to fresh air. If symptoms persist, call a physician.<br>**Skin contact:** Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.<br>**Eye contact:** Rinse immediately with plenty of water, also under the eyelids. If eye irritation or redness persists, see an ophthalmologist.<br>**Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.<br><br>For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Center. Show the label if possible |

| | |
|---|---|
| waters. Notify authorities if liquid enters sewers or public waters. Protect bait from surface water and discharge into the subsoil/soil.<br>Collect and dispose of the remains of bait and any remaining rodent bodies after/during treatment | |
| Spillage Procedure | Fire Prevention |
| Avoid release to the environment. In case of accidental spills keep away from drains, surface and ground water. Notify authorities if liquid enters sewers, public waters, rivers or watercourses. Sweep, hoover or shovel into suitable containers. Avoid raising dust and wear a Half mask respirator to EN140 plus P class filter to EN 143 and dampen to avoid dust if required. If liquid is involved soak up with inert absorbent material. If necessary wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. Dispose of spillage and cleaning agents as hazardous waste: EWC code 20 01 19. | Suitable extinguishing media: Water spray<br>Alcohol-resistant foam<br>Carbon dioxide ($CO_2$)<br>Dry chemical<br>Unsuitable :High volume water jet<br>Do not allow run-off from firefighting to enter drains or water courses. |
| Handling and Storage | Disposal Considerations |
| Store locked up in a dry, cool and well-ventilated place protected from frost and direct sunlight.<br>Store in the original container and keep the container closed<br>Store in places prevented from the access of children, birds, pets and farm animals and segregate from foods and animal feeds<br>Wear protective gloves when handling this product EN374<br>When using do not eat, drink or smoke.<br>Hands and /or face (exposed skin) should be washed before breaks and at the end of the shift.<br>Avoid dust formation and wear a Half mask respirator to EN140 plus P class filter to EN 143 if dust formation is likely<br>Avoid contact with eyes. Avoid prolonged or repeated contact with skin. | Dispose in a safe manner in accordance with local/national regulations at an approved waste disposal plant.<br>Dispose of packaging and remains of unused product as hazardous waste (code 20 01 19)<br>Poisoned rodents (waste code 20 01 99) should be disposed of at a suitably permitted incinerator, landfill or burial site by the waste producer or a registered waste carrier. |

| COSHH Assessment Comments |
|---|

| | |
|---|---|
| Further Control Required (Y/N) | N |
| Responsibility | N/A |
| Details | N/A |
| By when | N/A |
| Date Done | N/A |
| Assessors comments | |
| None | |
| Risk rating following control measures (H/M/L) | L |

| | |
|---|---|
| Assessor Name: Emily Hayclarke | Assessor Signature: |