










	<p>COSHH Assessment</p>	
---	-------------------------	---

Name of Substance	Sakarat Bromakill GB-2015-0935/NI-20 15-0935	Supplied By	Killgerm Chemicals Ltd, Wakefield Road, Ossett, West Yorkshire, WF5 9AJ. Tel: +44 (0)1924 268450 Fax: (0)1924 265033 Email: technical@Killgerm.c om
COSHH reference	0010	Date of Assessment	05.05.2026
Appearance	A green/blue ready to use cereal based bait containing 0.005% bromadiolone	Review Date	05.05.2027
Description of Substance	A ready to cereal based rodenticide. Contains a bittering agent, dye and bromadiolone 0.005%	Method Used	For professional use only. For use against mice and rats in and around buildings

Persons at Risk	Employee <input checked="" type="checkbox"/>	Public <input checked="" type="checkbox"/>	Contractor <input type="checkbox"/>	Other <input type="checkbox"/>

Hazards identified and Classification/Substance Properties

 Oxidising	 Explosive	 (Extremely) Flammable	 Toxic	 Carcinogenic Mutagenic
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
 Harmful	 Corrosive	 Human Health	 Dangerous for environment	 Gas under Pressure
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Hazard Type

Gas, Vapour, Mist, Fume, Dust, Liquid, Solid, Other: Solid

Route of exposure:








Inhalation	Skin	Eyes	Ingestion	Other
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Frequency and duration of exposure

Amount used				Duration of
Small (ml)	Medium (litre)	Large (m3)	Other:	< 5mins
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Risk Phrases (H-Phrases)

H360D May damage the unborn child.
H373 May cause damage to organs (Blood) through prolonged or repeated exposure.


Control Measure						
PPE						
						
Hand Protection	Protective Clothing	Foot Protection	Eye Protection	Face Shield	Face Mask	Respirator
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Control Measures	
General Precautions and P phrases	First Aid Measures
<p>P102 keep out of reach of children P103 Read the label before use. P201: Obtain special instructions before use. P202: Do Not handle until all safety precautions have been read and understood. P260: Do not breath dust. P270: Do not eat, drink, or smoke when using this product. P280: Wear protective gloves and clothing. P308+P313: IF exposed or concerned: Get medical advice/attention. P405: Store locked up: store in a closed container. P501: Dispose of contents/container to point authorized to receive hazardous waste</p> <p>For professional use only Always read the label before use and use in accordance with the label Prevent access to bait (toxic) by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Hazardous to wildlife. Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these. Avoid contact with the skin, eyes and clothing Do not breathe dust and avoid dust formation Bait stations must be labelled with the following information: "do not move or open";</p>	<p>Antidote: Vitamin K1 administered by medical/veterinary personnel only. N.B. Vitamin K3 is not effective.</p> <p>Bromadiolone is an indirect anticoagulant. Any signs of poisoning are unlikely to occur until 12-18 hours after ingestion.. IF YOU FEEL UNWELL, seek medical advice (show the label where possible Ingestion (swallowing): DO NOT induce vomiting. Rinse mouth carefully with water. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show the product's container or label. Inhalation: Take the victim into open air, keep them warm and calm. If breathing is irregular or stops perform artificial respiration. Skin contact: Remove contaminated clothing. Wash with water and then with soap and water Eye contact: Flush with clean water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, seek medical advice</p> <p>For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre</p>

<p>"contains a rodenticide"; "product name or authorisation number"; "active substance(s)" and "in case of accident, call a poison centre".</p> <p>Avoid release to the environment and water sources.</p> <p>Search for and remove rodent bodies at frequent intervals during treatment. Collect and dispose of the remains of bait and any remaining rodent bodies after treatment. You must ensure that you comply with legislation regarding the correct disposal of waste.</p> <p>When working in rodent infested areas it is recommended that synthetic rubber/PVC gloves be worn to protect against rodent borne disease.</p>	
<p>Spillage Procedure</p>	<p>Fire Prevention</p>
<p>Avoid release to the environment. In case of accidental spills keep away from drains, surface and ground water. Notify authorities if liquid enters sewers or public waters. Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant. Avoid raising dust and wear a Half mask respirator to EN140 plus P class filter to EN 143 and dampen to avoid dust if required. If necessary wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. Dispose of spillage and cleaning agents as hazardous waste: EWC code 20 01 19.</p>	<p>Use water spray, foam, dry chemical or carbon dioxide.</p> <p>May produce toxic fumes of carbon monoxide if involved in a fire.</p> <p>Do not use a direct stream of water to extinguish</p> <p>Do not allow extinguishing media to enter sewers, ground water or water courses.</p>
<p>Handling and Storage</p>	<p>Disposal Considerations</p>
<p>Avoid all contact by mouth</p> <p>Prevent access to bait by children, birds, and non-target animals particularly dogs, cats, pigs and poultry.</p> <p>Always attach labels to any containers used to carry bait decanted from the main container.</p> <p>Do not remove the inner liner from the outer bag.</p> <p>Wear protective gloves when handling</p> <p>When using do not eat, drink or smoke.</p> <p>Hands and /or face (exposed skin) should be</p>	<p>Dispose in a safe manner in accordance with local/national regulations at a approved waste disposal plant.</p> <p>Dispose of packaging and remains of unused product as hazardous waste (code 20 01 19) except empty outer pp 20k bag, uncontaminated- classified non-hazardous. EWC code 15 01 02</p> <p>Poisoned rodents (waste code 20 01 99) should be disposed of at a suitably permitted incinerator, landfill or burial site by the waste producer or a registered waste carrier.</p>

washed before breaks and at the end of the shift. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.	Empty containers and contaminated PPE should be considered hazardous and disposed of appropriately. Suggested European waste code 20 01 19.
---	--

COSHH Assessment Comments	
Further Control Required (Y/N)	N
Responsibility	N/A
Details	N/A
By when	N/A
Date Done	N/A
Assessors comments	
None	
Risk rating following control measures (H/M/L)	L

Assessor Name: Emily Hayclarke	Assessor Signature: 
--------------------------------	---